

ICPSR 27341

**National Health Interview Survey,
2008**

*United States Department of Health and
Human Services. Centers for Disease
Control and Prevention. National Center
for Health Statistics*

Injury/Poison Episode Level, Frequencies

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/27341.xml>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

Continuous variables in the frequency report only show the range of valid numbers

Unweighted Frequencies

IDN.000_00.000: File type identifier

RECTYPE	Frequency	Percent
10 Household	0	0.00
20 Person	0	0.00
30 Sample Adult	0	0.00
31 Sample Adult Cancer	0	0.00
40 Sample Child	0	0.00
60 Family	0	0.00
65 Paradata	0	0.00
70 Injury/Poisoning Episode	1746	100.00
75 Injury/Poisoning Verbatim	0	0.00

IDN.000_02.000: Year of National Health Interview Survey

SRVY_YR	Frequency	Percent
Survey Year	1746	100.00

IDN.000_04.000: HH identifier

HHX	Frequency	Percent
Range of Values	1746	100.00

IDN.000_35.000: Family #

FMX	Frequency	Percent
01-25 Family number 1 - 25	1746	100.00

IDN.000_40.000: Person #

FPX	Frequency	Percent
01-25 Person number 1 thru 25	1746	100.00

2008 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 IDN Variables Wednesday, May 20, 2009
 Unweighted Frequencies

IDN.000_55.000: Injury/Poisoning Episode Number

IPEPNO	Frequency	Percent
01 First injury or poisoning	1660	95.07
02 Second injury or poisoning	72	4.12
03 Third injury or poisoning	10	0.57
04 Fourth injury or poisoning	3	0.17
05 Fifth injury or poisoning	1	0.06
06 Sixth injury or poisoning	0	0.00
07 Seventh injury or poisoning	0	0.00
08 Eighth injury or poisoning	0	0.00
09 Ninth injury or poisoning	0	0.00
10 Tenth injury or poisoning	0	0.00

IDN.000_70.000: Weight - Final Annual

WTFA	Frequency	Percent
Range of Values	1746	100.00

2008 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, May 20, 2009
 Unweighted Frequencies

FIJ.050_01.000: Month of injury/poisoning episode

IPDATEM	Frequency	Percent
01 January	145	8.30
02 February	162	9.28
03 March	151	8.65
04 April	159	9.11
05 May	193	11.05
06 June	179	10.25
07 July	161	9.22
08 August	131	7.50
09 September	129	7.39
10 October	88	5.04
11 November	80	4.58
12 December	131	7.50
97 Refused	7	0.40
98 Not ascertained	0	0.00
99 Don't know	30	1.72

FIJ.050_03.000: Year of injury/poisoning episode

IPDATEY	Frequency	Percent
Year	1709	100.00
9997 Refused	0	0.00
9998 Not ascertained	0	0.00
9999 Don't know	0	0.00

Frequency Missing = 37

FIJ.051_01.000: Approximate time since injury/poisoning episode: Number

IPDATENO	Frequency	Percent
001-096	14	46.67
997 Refused	0	0.00
998 Not ascertained	0	0.00
999 Don't know	16	53.33

Frequency Missing = 1716

2008 National Health Interview Survey (NHIS)
 Episode Public Use File (injpoiep)
 FIJ Variables Wednesday, May 20, 2009
 Unweighted Frequencies

FIJ.051_02.000: Approximate time since injury/poisoning episode: Time period

IPDATETP	Frequency	Percent
1 Days	1	3.33
2 Weeks	4	13.33
3 Months	9	30.00
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	16	53.33

Frequency Missing = 1716

FIJ.052_00.000: Approximate point in month of injury/poisoning episode

IPDATEMT	Frequency	Percent
1 Beginning	133	31.67
2 Middle	161	38.33
3 End	102	24.29
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	24	5.71

Frequency Missing = 1326

FIJ.052_00.000: Time between the date of the injury/poisoning episode and the date the injury/poisoning questions were asked

RPCKDMR

 000-499 0-499 days
 500 Same month as month the injury/poisoning questions were asked
 501 Month before the month the injury/poisoning questions were asked
 502-524 2-24 months before the month the injury/poisoning questions were asked
 998 Not ascertained

FIJ.052_00.000: Time between the date of the injury/poisoning episode and the date the injury/poisoning questions were asked

Frequency	Percent
1285	73.60
29	1.66
142	8.13
253	14.49
37	2.12

2008 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, May 20, 2009
 Unweighted Frequencies

FIJ.052_02.000: Days between the date of the injury/poisoning episode and the date the injury/poisoning questions were asked

RPD	Frequency	Percent
000-999 0-999 days	1746	100.00

FIJ.052_00.000: Lower boundary of elapsed time interval in days

BIETD

 000-999 0-999 days before the date the injury/poisoning questions were asked

FIJ.052_00.000: Lower boundary of elapsed time interval in days

Frequency	Percent
1746	100.00

FIJ.052_00.000: Upper boundary of elapsed time interval in days

EIETD

 000-999 0-999 days before the date the injury/poisoning questions were asked

FIJ.052_00.000: Upper boundary of elapsed time interval in days

Frequency	Percent
1746	100.00

FIJ.052_00.000: Episode date information reported by the respondent

EDIPBR	Frequency	Percent
1 Month, day, and year	1285	73.60
2 Month, beginning of month, and year	133	7.62
3 Month, middle of month, and year	161	9.22
4 Month, end of month, and year	102	5.84
5 Month and year	28	1.60
6 Elapsed time in days	1	0.06
7 Elapsed time in weeks	4	0.23
8 Elapsed time in months	9	0.52
9 No information	23	1.32

2008 National Health Interview Survey (NHIS) 6
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, May 20, 2009
 Unweighted Frequencies

FIJ.052_00.000: Imputed part of I/P date or elapsed time interval

IMPMETH	Frequency	Percent
0 No imputation necessary (month, day, and year reported; or elapsed time interval width = 0)	1285	73.60
1 Imputed day based on reported beginning, middle, or end of month	395	22.62
2 Imputed day of the month (no day of month information reported)	28	1.60
3 No imputation necessary (elapsed time reported in days)	1	0.06
4 Imputed time interval based on elapsed time reported in weeks	4	0.23
5 Imputed time interval based on elapsed time reported in months	9	0.52
6 Imputed elapsed time & elapsed time interval using hot deck imputation (no date information reported or no valid date information reported)	24	1.37

FIJ.052_00.000: Imputed month

MUMON	Frequency	Percent
01 January	147	8.42
02 February	162	9.28
03 March	157	8.99
04 April	162	9.28
05 May	198	11.34
06 June	183	10.48
07 July	162	9.28
08 August	134	7.67
09 September	135	7.73
10 October	89	5.10
11 November	83	4.75
12 December	134	7.67

FIJ.052_00.000: Imputed year

MUYEAR	Frequency	Percent
Year	1746	100.00

FIJ.052_00.000: Elapsed time flag

ETFLG	Frequency	Percent
1 Elapsed time is > 91 days	91	5.21
2 Elapsed time is <= 91 days	1655	94.79

2008 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, May 20, 2009
 Unweighted Frequencies

FIJ.052_00.000: Elapsed time interval boundary flag

BEIFLG

-
- 1 Only the upper boundary of the interval for elapsed time is > 91 days
 - 2 Upper and lower boundary of the interval for elapsed time is > 91 days
 - 3 Upper and lower boundary of the interval for elapsed time is <= 91 days

FIJ.052_00.000: Elapsed time interval boundary flag

Frequency	Percent

34	1.95
72	4.12
1640	93.93

FIJ.065_00.000: Cause of injury episode

ICAUS	Frequency	Percent

01 In a motor vehicle	122	7.13
02 On a bike, scooter, skateboard, skates, skis, horse, etc	82	4.80
03 Pedestrian who was struck by a vehicle such as a car or bicycle	9	0.53
04 In a boat, train, or plane	9	0.53
05 Fall	631	36.90
06 Burned or scalded by substances such as hot objects or liquids, fire, or chemicals	16	0.94
07 Other	810	47.37
97 Refused	11	0.64
98 Not ascertained	0	0.00
99 Don't know	20	1.17

Frequency Missing = 36

FIJ.065_00.000: Cause of injury/poisoning based on E codes

ECAUS	Frequency	Percent

01 Transportation	199	11.40
02 Fire/burn/scald related	20	1.15
03 Fall	672	38.49
04 Poisoning	32	1.83
05 Overexertion/strenuous movements	229	13.12
06 Struck by object or person	187	10.71
07 Animal or insect bite	56	3.21
08 Cut/pierce	127	7.27
09 Machinery	11	0.63
10 Other	213	12.20
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

2008 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, May 20, 2009
 Unweighted Frequencies

FIJ.070_01.000: Parts of body hurt: 1st body part

IJBODY1	Frequency	Percent
01 Ankle	194	11.35
02 Back	172	10.06
03 Buttocks	9	0.53
04 Chest	19	1.11
05 Ear	4	0.23
06 Elbow	44	2.57
07 Eye	40	2.34
08 Face	56	3.27
09 Finger/thumb	142	8.30
10 Foot	105	6.14
11 Forearm	67	3.92
12 Groin	7	0.41
13 Hand	82	4.80
14 Head (not face)	104	6.08
15 Hip	38	2.22
16 Jaw	2	0.12
17 Knee	163	9.53
18 Lower leg	64	3.74
19 Mouth	13	0.76
20 Neck	32	1.87
21 Nose	14	0.82
22 Shoulder	93	5.44
23 Stomach	7	0.41
24 Teeth	3	0.18
25 Thigh	25	1.46
26 Toe	33	1.93
27 Upper arm	16	0.94
28 Wrist	81	4.74
29 Other	68	3.98
97 Refused	8	0.47
98 Not ascertained	0	0.00
99 Don't know	5	0.29

Frequency Missing = 36

2008 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, May 20, 2009
 Unweighted Frequencies

FIJ.070_02.000: Parts of body hurt: 2nd body part

IJBODY2	Frequency	Percent
00 No second response	1456	85.15
01 Ankle	4	0.23
02 Back	16	0.94
03 Buttocks	3	0.18
04 Chest	9	0.53
05 Ear	0	0.00
06 Elbow	8	0.47
07 Eye	1	0.06
08 Face	11	0.64
09 Finger/thumb	4	0.23
10 Foot	9	0.53
11 Forearm	12	0.70
12 Groin	1	0.06
13 Hand	13	0.76
14 Head (not face)	8	0.47
15 Hip	13	0.76
16 Jaw	1	0.06
17 Knee	23	1.35
18 Lower leg	17	0.99
19 Mouth	3	0.18
20 Neck	25	1.46
21 Nose	2	0.12
22 Shoulder	22	1.29
23 Stomach	3	0.18
24 Teeth	4	0.23
25 Thigh	9	0.53
26 Toe	2	0.12
27 Upper arm	6	0.35
28 Wrist	11	0.64
29 Other	14	0.82
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 36

2008 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, May 20, 2009
 Unweighted Frequencies

FIJ.070_03.000: Parts of body hurt: 3rd body part

IJBODY3	Frequency	Percent
00 No third response	1613	94.33
01 Ankle	1	0.06
02 Back	9	0.53
03 Buttocks	1	0.06
04 Chest	1	0.06
05 Ear	1	0.06
06 Elbow	2	0.12
07 Eye	3	0.18
08 Face	2	0.12
09 Finger/thumb	4	0.23
10 Foot	2	0.12
11 Forearm	7	0.41
12 Groin	0	0.00
13 Hand	8	0.47
14 Head (not face)	5	0.29
15 Hip	3	0.18
16 Jaw	1	0.06
17 Knee	9	0.53
18 Lower leg	9	0.53
19 Mouth	1	0.06
20 Neck	7	0.41
21 Nose	1	0.06
22 Shoulder	6	0.35
23 Stomach	2	0.12
24 Teeth	1	0.06
25 Thigh	3	0.18
26 Toe	0	0.00
27 Upper arm	2	0.12
28 Wrist	0	0.00
29 Other	6	0.35
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 36

2008 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, May 20, 2009
 Unweighted Frequencies

FIJ.070_04.000: Parts of body hurt: 4th body part

IJBODY4	Frequency	Percent
00 No fourth response	1672	97.78
01 Ankle	1	0.06
02 Back	4	0.23
03 Buttocks	0	0.00
04 Chest	2	0.12
05 Ear	0	0.00
06 Elbow	0	0.00
07 Eye	0	0.00
08 Face	1	0.06
09 Finger/thumb	2	0.12
10 Foot	0	0.00
11 Forearm	0	0.00
12 Groin	0	0.00
13 Hand	4	0.23
14 Head (not face)	2	0.12
15 Hip	0	0.00
16 Jaw	0	0.00
17 Knee	1	0.06
18 Lower leg	2	0.12
19 Mouth	0	0.00
20 Neck	2	0.12
21 Nose	2	0.12
22 Shoulder	4	0.23
23 Stomach	3	0.18
24 Teeth	0	0.00
25 Thigh	2	0.12
26 Toe	1	0.06
27 Upper arm	1	0.06
28 Wrist	1	0.06
29 Other	3	0.18
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 36

2008 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, May 20, 2009
 Unweighted Frequencies

FIJ.072_01.000: How body part 1 was hurt: First response

IJTYPE1A	Frequency	Percent
01 Broken bone or fracture	340	20.04
02 Sprain, strain, or twist	591	34.83
03 Cut	267	15.73
04 Scrape	49	2.89
05 Bruise	179	10.55
06 Burn	22	1.30
07 Insect bite	26	1.53
08 Animal bite	24	1.41
09 Other	188	11.08
97 Refused	3	0.18
98 Not ascertained	0	0.00
99 Don't know	8	0.47

Frequency Missing = 49

FIJ.072_02.000: How body part 1 was hurt: Second response

IJTYPE1B	Frequency	Percent
00 No second response	1588	93.58
01 Broken bone or fracture	2	0.12
02 Sprain, strain, or twist	12	0.71
03 Cut	9	0.53
04 Scrape	11	0.65
05 Bruise	56	3.30
06 Burn	1	0.06
07 Insect bite	0	0.00
08 Animal bite	1	0.06
09 Other	17	1.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 49

2008 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, May 20, 2009
 Unweighted Frequencies

FIJ.074_01.000: How body part 2 was hurt: First response

IJTYPE2A	Frequency	Percent
01 Broken bone or fracture	25	9.84
02 Sprain, strain, or twist	78	30.71
03 Cut	17	6.69
04 Scrape	16	6.30
05 Bruise	75	29.53
06 Burn	4	1.57
07 Insect bite	4	1.57
08 Animal bite	3	1.18
09 Other	30	11.81
97 Refused	1	0.39
98 Not ascertained	0	0.00
99 Don't know	1	0.39

Frequency Missing = 1492

FIJ.074_02.000: How body part 2 was hurt: Second response

IJTYPE2B	Frequency	Percent
00 No second response	229	90.16
01 Broken bone or fracture	0	0.00
02 Sprain, strain, or twist	1	0.39
03 Cut	2	0.79
04 Scrape	7	2.76
05 Bruise	10	3.94
06 Burn	0	0.00
07 Insect bite	0	0.00
08 Animal bite	1	0.39
09 Other	4	1.57
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 1492

2008 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, May 20, 2009
 Unweighted Frequencies

FIJ.076_01.000: How body part 3 was hurt: First response

IJTYPE3A	Frequency	Percent
01 Broken bone or fracture	4	4.12
02 Sprain, strain, or twist	24	24.74
03 Cut	10	10.31
04 Scrape	11	11.34
05 Bruise	33	34.02
06 Burn	1	1.03
07 Insect bite	2	2.06
08 Animal bite	0	0.00
09 Other	11	11.34
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	1	1.03

Frequency Missing = 1649

FIJ.076_02.000: How body part 3 was hurt: Second response

IJTYPE3B	Frequency	Percent
00 No second response	81	83.51
01 Broken bone or fracture	1	1.03
02 Sprain, strain, or twist	1	1.03
03 Cut	0	0.00
04 Scrape	1	1.03
05 Bruise	9	9.28
06 Burn	0	0.00
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	4	4.12
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 1649

2008 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, May 20, 2009
 Unweighted Frequencies

FIJ.078_01.000: How body part 4 was hurt: First response

IJTYPE4A	Frequency	Percent
01 Broken bone or fracture	3	7.89
02 Sprain, strain, or twist	8	21.05
03 Cut	6	15.79
04 Scrape	4	10.53
05 Bruise	14	36.84
06 Burn	1	2.63
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	2	5.26
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 1708

FIJ.078_02.000: How body part 4 was hurt: Second response

IJTYPE4B	Frequency	Percent
00 No second response	33	86.84
01 Broken bone or fracture	0	0.00
02 Sprain, strain, or twist	0	0.00
03 Cut	0	0.00
04 Scrape	1	2.63
05 Bruise	3	7.89
06 Burn	0	0.00
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	1	2.63
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 1708

FIJ.080_01.000: Where received medical care: Call to PCC

PPCC	Frequency	Percent
1 Yes	11	30.56
2 No	25	69.44
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 1710

2008 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, May 20, 2009
 Unweighted Frequencies

16

FIJ.080_02.000: Where received medical care: Emergency vehicle

IPEV	Frequency	Percent
1 Yes	302	17.30
2 No	1430	81.90
7 Refused	7	0.40
8 Not ascertained	0	0.00
9 Don't know	7	0.40

FIJ.080_03.000: Where received medical care: Emergency room

IPER	Frequency	Percent
1 Yes	898	51.43
2 No	836	47.88
7 Refused	7	0.40
8 Not ascertained	0	0.00
9 Don't know	5	0.29

FIJ.080_04.000: Where received medical care: Doctor's office/clinic

IPDO	Frequency	Percent
1 Yes	1295	74.17
2 No	439	25.14
7 Refused	8	0.46
8 Not ascertained	0	0.00
9 Don't know	4	0.23

FIJ.080_05.000: Where received medical care: Call to medical prof

IPPCHCP	Frequency	Percent
1 Yes	606	34.71
2 No	1120	64.15
7 Refused	8	0.46
8 Not ascertained	0	0.00
9 Don't know	12	0.69

FIJ.080_06.000: Where received medical care: Any place else

IPTH	Frequency	Percent
1 Yes	231	13.23
2 No	1504	86.14
7 Refused	8	0.46
8 Not ascertained	0	0.00
9 Don't know	3	0.17

FIJ.090_00.000: Hospitalized overnight due to injury/poisoning episode

IPHOSP	Frequency	Percent
1 Yes	109	6.24
2 No	1630	93.36
7 Refused	5	0.29
8 Not ascertained	0	0.00
9 Don't know	2	0.11

FIJ.091_00.000: Number of nights in the hospital

IPIHNO	Frequency	Percent
01-94 1-94 nights	108	99.08
95 95+ nights	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	1	0.92

Frequency Missing = 1637

FIJ.109_00.000: Traffic-related injury

IMTRAF	Frequency	Percent
1 Yes	147	69.01
2 No	64	30.05
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	2	0.94

Frequency Missing = 1533

FIJ.110_00.000: Injured as . . .

IMVWHO

-
- 1 The driver of a motor vehicle
 - 2 A passenger in a motor vehicle
 - 3 A pedestrian
 - 4 A bicycle rider or tricycle rider
 - 5 The rider of a scooter, skateboard, skates, or other non-motorized vehicle
 - 7 Refused
 - 8 Not ascertained
 - 9 Don't know

FIJ.110_00.000: Injured as . . .

Frequency	Percent
94	44.13
31	14.55
14	6.57
38	17.84

FIJ.110_00.000: Injured as . . .

Frequency	Percent

35	16.43
0	0.00
0	0.00
1	0.47

Frequency Missing = 1533

FIJ.111_00.000: Type of vehicle injured person was in

IMVTYP

-
- 01 Passenger car
 - 02 Passenger truck, such as a pickup truck, van, or SUV
 - 03 Bus
 - 04 Large commercial truck, such as a semi-truck, big rig, or 18 wheeler
 - 05 Motorcycle (including mopeds and minibikes)
 - 06 All terrain vehicle or ski/snow-mobile
 - 07 Farm equipment (such as a tractor)
 - 08 Industrial or construction vehicle
 - 09 Other
 - 97 Refused
 - 98 Not ascertained
 - 99 Don't know

FIJ.111_00.000: Type of vehicle injured person was in

Frequency	Percent

78	62.40
25	20.00
3	2.40
1	0.80
11	8.80
4	3.20
0	0.00
0	0.00
3	2.40
0	0.00
0	0.00
0	0.00

Frequency Missing = 1621

2008 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, May 20, 2009
 Unweighted Frequencies

FIJ.112_00.000: Restrained at time of accident

ISBELT	Frequency	Percent
1 Yes	84	80.77
2 No	19	18.27
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	0.96

Frequency Missing = 1642

FIJ.113_00.000: Wearing a helmet at the time of the accident

IHELMT	Frequency	Percent
1 Yes	34	38.64
2 No	54	61.36
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 1658

FIJ.130_01.000: How person fell: First response

IFALL1	Frequency	Percent
01 Stairs, steps, or escalator	110	17.43
02 Floor or level ground	172	27.26
03 Curb (including sidewalk)	30	4.75
04 Ladder or scaffolding	18	2.85
05 Playground equipment	23	3.65
06 Sports field, court, or rink	59	9.35
07 Building or other structure	20	3.17
08 Chair, bed, sofa, or other furniture	37	5.86
09 Bathtub, shower, toilet, or commode	13	2.06
10 Hole or other opening	12	1.90
11 Other	135	21.39
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	2	0.32

Frequency Missing = 1115

2008 National Health Interview Survey (NHIS)
 Episode Public Use File (injqoiep)
 FIJ Variables Wednesday, May 20, 2009
 Unweighted Frequencies

FIJ.130_02.000: How person fell: Second response

IFALL2	Frequency	Percent
00 No second response	620	98.26
01 Stairs, steps, or escalator	0	0.00
02 Floor or level ground	3	0.48
03 Curb (including sidewalk)	1	0.16
04 Ladder or scaffolding	0	0.00
05 Playground equipment	0	0.00
06 Sports field, court, or rink	1	0.16
07 Building or other structure	1	0.16
08 Chair, bed, sofa, or other furniture	3	0.48
09 Bathtub, shower, toilet, or commode	0	0.00
10 Hole or other opening	0	0.00
11 Other	2	0.32
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 1115

FIJ.131_00.000: Cause of fall

IFALLWHY

1 Slipping or tripping
2 Jumping or diving
3 Bumping into an object or another person
4 Being shoved or pushed by another person
5 Losing balance or having dizziness (becoming faint or having a seizure)
6 Other
7 Refused
8 Not ascertained
9 Don't know

FIJ.131_00.000: Cause of fall

Frequency	Percent
329	52.14
42	6.66
30	4.75
20	3.17
99	15.69
103	16.32
0	0.00
0	0.00
8	1.27

Frequency Missing = 1115

FIJ.140_00.000: Cause of poisoning episode

PPOIS	Frequency
1 Swallowing a drug or medical substance mistakenly or in overdose	12
2 Swallowing or touching a harmful solid or liquid substance	5
3 Inhaling harmful gases or vapors	11
4 Eating a poisonous plant or other substance mistaken for food	0
5 Being bitten by a poisonous animal	2
6 Other, please specify	6
7 Refused	0
8 Not ascertained	0
9 Don't know	0

FIJ.140_00.000: Cause of poisoning episode

PPOIS	Percent
1 Swallowing a drug or medical substance mistakenly or in overdose	33.33
2 Swallowing or touching a harmful solid or liquid substance	13.89
3 Inhaling harmful gases or vapors	30.56
4 Eating a poisonous plant or other substance mistaken for food	0.00
5 Being bitten by a poisonous animal	5.56
6 Other, please specify	16.67
7 Refused	0.00
8 Not ascertained	0.00
9 Don't know	0.00

Frequency Missing = 1710

FIJ.150_01.000: Activity at time of inj/pois episode: First response

IPWHAT1	Frequency	Percent
01 Driving or riding in a motor vehicle	109	6.24
02 Working at a paid job	218	12.49
03 Working around the house or yard	234	13.40
04 Attending school	57	3.26
05 Unpaid work (such as volunteer work)	9	0.52
06 Sports and exercise	266	15.23
07 Leisure activity (excluding sports)	466	26.69
08 Sleeping, resting, eating, or drinking	50	2.86
09 Cooking	18	1.03
10 Being cared for (hands-on care from other person)	20	1.15
11 Other	272	15.58
97 Refused	8	0.46
98 Not ascertained	0	0.00
99 Don't know	19	1.09

Episode Public Use File (injpoiep)

FIJ Variables

Wednesday, May 20, 2009

Unweighted Frequencies

FIJ.150_02.000: Activity at time of inj/pois episode: Second response

IPWHAT2	Frequency	Percent
00 No second response	1729	99.03
01 Driving or riding in a motor vehicle	0	0.00
02 Working at a paid job	1	0.06
03 Working around the house or yard	1	0.06
04 Attending school	3	0.17
05 Unpaid work (such as volunteer work)	0	0.00
06 Sports and exercise	2	0.11
07 Leisure activity	8	0.46
08 Sleeping, resting, eating, or drinking	0	0.00
09 Cooking	1	0.06
10 Being cared for (hands on care from other person)	0	0.00
11 Other	1	0.06
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

FIJ.160_01.000: Location at time of inj/pois episode: First response

IPWHERE1	Frequency	Percent
01 Home (inside)	469	26.86
02 Home (outside)	332	19.01
03 School (not residential)	138	7.90
04 Child care center or preschool	8	0.46
05 Residential institution (exclude hospital)	10	0.57
06 Health care facility (include hospital)	22	1.26
07 Street or highway	140	8.02
08 Sidewalk	37	2.12
09 Parking lot	44	2.52
10 Sport facility, athletic field, or playground	137	7.85
11 Shopping center, restaurant, store, bank, gas station, or other place of business	68	3.89
12 Farm	7	0.40
13 Park or recreation area (include bike or jog path)	63	3.61
14 River, lake, stream, or ocean	16	0.92
15 Industrial or construction area	41	2.35
16 Other public building	35	2.00
17 Other	146	8.36
97 Refused	8	0.46
98 Not ascertained	0	0.00
99 Don't know	25	1.43

FIJ.160_02.000: Location at time of inj/pois episode: Second response

IPWHER2	Frequency	Percent
00 No second response	1730	99.08
01 Home (inside)	1	0.06
02 Home (outside)	3	0.17
03 School (not residential)	0	0.00
04 Child care center or preschool	0	0.00
05 Residential institution (exclude hospital)	1	0.06
06 Health care facility (include hospital)	0	0.00
07 Street or highway	4	0.23
08 Sidewalk	1	0.06
09 Parking lot	2	0.11
10 Sport facility, athletic field, or playground	3	0.17
11 Shopping center, restaurant, store, bank, gas station, or other place of business	0	0.00
12 Farm	0	0.00
13 Park or recreation area (include bike or jog path)	0	0.00
14 River, lake, stream, or ocean	0	0.00
15 Industrial or construction area	0	0.00
16 Other public building	1	0.06
17 Other	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

FIJ.170_00.000: Employed at the time of the injury/poisoning episode

IPEMP	Frequency	Percent
1 Full-time	658	45.19
2 Part-time	114	7.83
3 Not employed	680	46.70
7 Refused	3	0.21
8 Not ascertained	0	0.00
9 Don't know	1	0.07

Frequency Missing = 290

FIJ.171_00.000: Days of work missed

IPWKLS	Frequency	Percent
1 None	391	50.65
2 Less than one day	39	5.05
3 One to five days	206	26.68
4 Six or more days	133	17.23
7 Refused	1	0.13
8 Not ascertained	0	0.00
9 Don't know	2	0.26

Frequency Missing = 974

FIJ.180_00.000: Student at the time of the injury/poisoning episode

IPSTU	Frequency	Percent
1 Full-time	435	26.27
2 Part-time	46	2.78
3 Not a student	1173	70.83
7 Refused	2	0.12
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 90

FIJ.181_00.000: Days of school missed

IPSCLS	Frequency	Percent
1 None	296	61.54
2 Less than one day	35	7.28
3 One to five days	123	25.57
4 Six or more days	23	4.78
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	4	0.83

Frequency Missing = 1265

FIJ.181_01.000: ICD-9-CM diagnosis code

ICD9_1	Frequency	Percent
ICD-9-CM codes	1746	100.00

FIJ.181_02.000: ICD-9-CM diagnosis code

ICD9_2	Frequency	Percent
ICD-9-CM codes	405	100.00

Frequency Missing = 1341

FIJ.181_03.000: ICD-9-CM diagnosis code

ICD9_3	Frequency	Percent
ICD-9-CM codes	139	100.00

Frequency Missing = 1607

Episode Public Use File (injqoiep)

FIJ Variables

Wednesday, May 20, 2009

Unweighted Frequencies

FIJ.181_04.000: ICD-9-CM diagnosis code

ICD9_4	Frequency	Percent
ICD-9-CM codes	62	100.00

Frequency Missing = 1684

FIJ.181_05.000: ICD-9-CM diagnosis code

ICD9_5	Frequency	Percent
ICD-9-CM codes	28	100.00

Frequency Missing = 1718

FIJ.181_06.000: ICD-9-CM diagnosis code

ICD9_6	Frequency	Percent
ICD-9-CM codes	14	100.00

Frequency Missing = 1732

FIJ.181_07.000: ICD-9-CM diagnosis code

ICD9_7	Frequency	Percent
ICD-9-CM codes	6	100.00

Frequency Missing = 1740

FIJ.181_08.000: ICD-9-CM diagnosis code

ICD9_8	Frequency	Percent
ICD-9-CM codes	3	100.00

Frequency Missing = 1743

FIJ.181_10.000: ICD-9-CM external cause code

ECODE_1	Frequency	Percent
E8000-E999 E codes	1746	100.00

FIJ.181_20.000: ICD-9-CM external cause code

ECODE_2	Frequency	Percent

E8000-E999 E codes	23	100.00

Frequency Missing = 1723

FIJ.181_30.000: ICD-9-CM external cause code

ECODE_3	Frequency	Percent

E8000-E999 E codes	0	.

Frequency Missing = 1746