

ICPSR 30842

**Criminal Justice Drug Abuse
Treatment Studies (CJDATS):
Restructuring Risky
Relationships-HIV (RRR-HIV),
2005-2008 [United States]**

Carl Leukefeld

*University of Kentucky, Center on Drug and
Alcohol Research*

Data Collection Instrument for Restructuring
Risky Relationships 30-Day Follow-up

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/30842/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

RRR-HIV 30-day FOLLOW-UP 3/8/07

DRAFT

Subject Number:|_|_|_|_|

Site Code (RI: 7000, DE: 6000, KY: 5000)|_|_|_|_|

Interviewer ID Number:|_|_|_|_|

NAME CODE (i.e. Jane Doe = DOJA)|_|_|_|_|

Date of Interview:|_|_|_|_|
MO DAY YR

CODE A-D WITHOUT QUESTIONING RESPONDENT:

A. START TIME.....|_|_|_|:|_|_|_| am/pm

B. INTERVIEW LOCATION|_|_|

- 1. Prison
- 2. Work furlough program
- 3. Community corrections facility
- 4. Half-way house
- 5. Parole/probation office
- 6. Community treatment program
- 7. Other: specify _____

C. Number of days since last interview |_|_|_|_|
DAYS

D. Is the client currently participating in formal AOD treatment (do not include AA, NA, or other self-help)
..... 0=No 1=Yes

E. Is the client currently incarcerated? 0=No 1=Yes

READ ALOUD TO RESPONDENT:

Hello, my name is _____, and I work for the _____ study. Thank you for agreeing to talk with me today. This interview usually takes about a half an hour to complete. I'm going to read you a set of questions exactly as they are worded so that each person is asked the same thing. I will need to keep things moving along, so I hope that I don't sound rude if I tell you we need to move on to the next question.

I will be asking primarily about your personal and family background, your friends, your criminal and legal involvement, and your drug use history. All of your answers will be kept confidential and will in no way affect your legal status, or any services or money you may receive. Many of my questions will refer to the 30 days since your release. I'll try to be clear, but please ask me if you are not sure about the time period involved.

It is very important that you be open and honest. Some questions may be sensitive or embarrassing to you, but they are necessary to evaluate the intervention.

Do you have any questions before we start?

|_|_|_|_|/|_|_|_|_|/|_|_|_|_|_|_|_|_|_|
Month Day Year

Date of Release

Enter the date the client was released from the Institution where the baseline interview was completed.



|_|_|_|_|/|_|_|_|_|/|_|_|_|_|_|_|_|_|_|
Month Day Year

30 days post release

Enter the date 30 days after release from the baseline institution.

PART A: SOCIODEMOGRAPHIC BACKGROUND

Let's begin with some general information.

1. What is your birthdate?.....|__||__||/|__||__||/|__||__||__||
Month Day Year

2. In the 30 days since your release, where have you been living most of the time?
(i.e. over 1/2 of the time)|__|

- 1. Shelter (safe havens, transitional living center, low demand facilities, reception centers, other temporary day or evening facility)
- 2. Street/outdoors (sidewalk, doorway, park, public or abandoned building)
- 3. Institution (hospital, nursing home, jail/prison)
- 4. Own/rent apartment, room, or house
- 5. Someone else's apartment, room or house
- 6. Halfway house
- 7. Residential treatment
- 8. Other housed (specify)_____

3. How long have you been living there (at that place)?..... |__||__||__||
(CODE IN DAYS) #DAYS

4. In the 30 days since your release, have you been living with a spouse,
significant other, or domestic partner?.....0=No *1=Yes

PART B. CRIMINAL BEHAVIOR

Now I'm going to ask you about your past ARRESTS – that is, the number of times and reasons. [“ARRESTED” MEANS TAKEN INTO CUSTODY OR TO POLICE STATION]

1. How much of your income or source of support in the 30 days since your release
came from some kind of ILLEGAL ACTIVITY?..... |__|
0. None 1. Less than half 2. About half 3. More than half 4. All

2. Altogether, how many TIMES were you arrested in the 30 days since your last interview? |__||__||__||
ARRESTS

What were the charges?_____

3. About how many of these arrests were for things you did while using drugs or trying to get drugs?
.....|__||__||__||
ARRESTS

4. How many nights did you spend in jail during this period?|__||__||__||
NIGHTS

5. In the 30 days since your release, what is the total length of time that you were
on probation?..... |__||__||__||

--	--	--	--	--

DAYS

6. In the 30 days since your release, what is the total length of time that you were on parole? ?..... | | | |
DAYS

7. What is your **CURRENT LEGAL STATUS**? | | | |*

0. None
1. Probation with no jail/prison sentence
2. Probation with jail/prison sentence
3. Parole
4. Mandatory release from prison with mandated supervision time
5. Pretrial release (awaiting charge, trial, or sentence)
6. Diversion program
7. Prison
8. Work Release
9. Community correctional facility
10. Other (specify) _____

PART C: DRUG AND TREATMENT HISTORY

1. Now I'd like to ask you about your drug and alcohol use. Remember that this information is confidential.

FOR EACH SEPARATE DRUG USED, ASK:

a. Tell me how many days in the **30 days since your release** you used (drug name)?

[RECORD RESPONSE IN "DRUG HISTORY CHART"]

FOR DRUGS USED THAT CAN BE INJECTED (SEE CHART), ASK –

c. And how many days during the **last 30 days** did you **INJECT** (drug name)?

DRUG HISTORY CHART

Type of Drugs (and examples of each)	Q1a. Number of days used in 30 days since release	Q1b. Injected Last 30 days
1. Alcohol		NA
2. Tobacco		NA
3. Inhalants (glue, spray, paint, toluene, liquid paper, etc.)		NA
4. Marijuana/Hashish		NA
5. <u>Hallucinogens</u> /LSD/Psychedelics/PCP/Mushrooms/Peyote		NA
6. <u>Crack</u> /Freebase		
7. <u>Cocaine</u> (by itself)		
8. <u>Heroin and Cocaine</u> (mixed together)		
9. <u>Heroin and Meth</u> (mixed together)		



10. <u>Heroin</u> (by itself)		
11. <u>Street Methadone</u>		
12. <u>Other Opiates/</u> Opium/Morphine Demerol/ Dilaudid/ Percodan/ Viocodin/Oxycotin		
13. <u>Methamphetamine/</u> Speed/Ice/Ecstasy/Crystal		
14. <u>Other Amphetamines/</u> Uppers/Diet Pills		
15. <u>Librium/</u> Valium/Minor Tranquilizers		
16. <u>Barbiturates</u>		
17. <u>Other Sedatives/</u> Hypnotics/Quaaludes		
18. <u>Non-prescription GHB</u>		
19. <u>Ketamine</u>		
20. Other, specify _____		

2. In the 30 days since your release have you gone to self-help meetings like AA, NA, CA, etc.? (include non-12-step groups such as Rational recovery, SOS and SMART)
*0=No 1=Yes**

*IF "YES", ASK:

<p>a. About <u>how many meetings</u> have you attended in the last 30 days? _____</p> <p>b. Over <u>how many days</u> did you attend these meetings? _ _ # DAYS</p>

PART D: AIDS RISK ASSESSMENT

In this set of questions, I need to get information about your drug use and sexual activities that could have exposed you to HIV, the virus that causes AIDS. A few questions are highly personal, but it is very important that you be open and honest in your answers. Remember that what you tell me is completely confidential.

1. In the 30 days since your release,
how many times did you inject illegal drugs with a needle?|_|||_|_||_*

***IF "0", SKIP TO Q.8**

2. How many times did you use needles or syringes that were "dirty" – that is, that someone else had used and were not sterilized or cleaned

with bleach before you used them? _____

3. And how many times did you use the same cooker, cotton, or rinse water that someone else had already used? _____

4. Altogether, how many PEOPLE did you share the same works with during **the 30 days since your release**? This means all the people who used the same needles or syringes, cooker, cotton, or rinse water before you did? # PEOPLE

5. And how many of the times that you injected drugs, in the last 30 days, were you with other people who were also injecting? # times

6. How many TIMES, in the last 30 days, did you give or loan your used needles or syringes to someone else, who then used them without cleaning them with bleach? # TIMES

- 7. In the **30 days since your release**, how many times did you:
a. Get needles or syringes legally, like at a pharmacy? # TIMES
b. Give, sell or lend needles or works to a running partner, sex partner or someone else without cleaning them? # TIMES
c. Clean your works or needles and then given, sold or lent them to others? # TIMES
d. Cleaned your works with tap water only, boiling water, alcohol, or by heating with a match? # TIMES
e. Cleaned your works with bleach? # TIMES
f. Cleaned your works some other way? # TIMES

If so, then how? _____

8. Now I have questions about **SEX** in the **last 30 days** timeline. How many different PEOPLE did you have any kind of sex with during that time (including vaginal, oral, or anal)? # PEOPLE*

9. How many of your partners were female and how many were male? Female: # PEOPLE Male: # PEOPLE

10. Altogether, how many times did you have sex (including vaginal, oral, and anal) in these 30 days? # TIMES

a. How many of those times did it involve vaginal sex?

.....|_|_|_|
TIMES

b. How many of those times did it involve oral sex?

.....|_|_|_|
TIMES

c. How many of those times did it involve anal sex?

.....|_|_|_|
TIMES

[DO NOT INCLUDE MASTURBATION]

11. Altogether, how many times did you have sex (including vaginal, oral, anal) in the **30 days** after release on the timeline without using protection (i.e. condoms, dental dams, etc.)?

|_|_|_|*
TIMES

[TOTAL TIMES SHOULD EQUAL THE SUM OF A6, A7 AND A8 BELOW]

***IF "0", SKIP TO Q.12**

*IF "ONE OR MORE", ASK:

a. When you had sex without using a condom that month, how many times was it :

1. with someone who is not your spouse or primary partner? |_|_|_|_|

2. with someone who shot drugs with needles? |_|_|_|_|

3. with someone who sometimes smokes crack/cocaine, and/or Methamphetamine? |_|_|_|_|

4. while you or your partner were "high" on drugs or alcohol? |_|_|_|_|

5. while trading (giving/getting) sex for drugs, money, or gifts? |_|_|_|_|

6. involving vaginal sex (penis to vagina)? |_|_|_|_|

7. involving oral sex (mouth to penis/vagina)? |_|_|_|_|

8. involving anal sex (penis to anus)? |_|_|_|_|

TIMES

12. **In the 30 days after your release**, how many times have you used the following drugs immediately before or during sex?

Write number of times had sex in 30 days [question 10 above**]:

A. Alcohol?

B. Marijuana?
(Weed, grass, reefer)

C. Crack?

--	--	--	--	--

- D. Cocaine by itself (other than crack)..... |__|__|__|__|
that you injected or snorted?
- E. Heroin (by itself)? |__|__|__|__|
- F. Heroin and cocaine mixed..... |__|__|__|__|
together (e.g., speedball)
- G. Nonprescription Methadone? |__|__|__|__|
- H. Other opiates (e.g., Demerol..... |__|__|__|__|
Codeine, Dilaudid)?
- I. Amphetamines?..... |__|__|__|__|
(e.g., speed, uppers, bennies)
- J. Methamphetamines?..... |__|__|__|__|
- K. Some other drug? (Specify)..... |__|__|__|__|

HIV KNOWLEDGE QUESTIONNAIRE: HIV – KQ – 18 (Carey & Schroder, 2002).

Instructions: Please answer the following questions to the best of your knowledge by answering “true” or “false.” If you don’t know the response, try to make a guess based on your instinct.

	True	False
1. Coughing and sneezing DO NOT spread HIV.	T	F
2. A person can get HIV by sharing a glass of water someone who has HIV.	T	F
3. Pulling out the penis before a man climaxes/cums keeps a woman from getting HIV during sex.	T	F
4. A woman can get HIV if she has anal sex with a man.	T	F
5. Showering, or washing one’s genitals/private parts after sex keeps a person from getting HIV.	T	F
6. All pregnant women infected with HIV will have babies born with AIDS	T	F
7. People who have been infected with HIV quickly show serious signs of being infected.	T	F
8. There is a vaccine that can stop adults from getting HIV	T	F
9. People are likely to get HIV by deep kissing, putting their tongue in their partner’s mouth, if their partner has HIV.	T	F
10. A woman cannot get HIV if she has sex during her period.	T	F
11. There is a female condom that can help decrease a woman’s chance of getting HIV.	T	F
12. A natural skin condom works better against HIV than does a latex condom.	T	F
13. A person will NOT get HIV if she or he is taking antibiotics.	T	F
14. Having sex with more than one partner can increase a person’s chance of being infected with HIV.	T	F
15. Taking a test for HIV one week after having sex will tell a person if he/she has HIV.	T	F
16. A person can get HIV by sitting in a hot tub or a swimming pool with a person who has HIV	T	F



17. A person can get HIV from oral sex.	T	F
18. Using Vaseline or baby oil with condoms lowers the chance of getting HIV.	T	F

TCU - HIV Questionnaire: Intent to change HIV risk behavior

Texas Christian University TIC HIV Module Survey

1. A person who becomes infected with HIV –
 - a. usually has less than 6 months to live.
 - b. should begin taking medicines that fight the virus as soon as possible.
 - c. likely became infected from a flea or tick bite.
 - d. must register with the CDC within one year.
 - e. all of the above.

2. The virus that causes HIV infection–
 - a. can be passed to newborn babies through breast feeding.
 - b. is present in semen and vaginal fluids.
 - c. can be killed if it is caught in time.
 - d. was created in secret government laboratories.
 - e. answers a and b only.

3. Which of the following is not risky in terms of catching HIV?
 - a. vaginal sex
 - b. oral sex
 - c. anal/rectal sex
 - d. sharing drug injection syringes
 - e. donating blood

4. There is nothing a pregnant woman with HIV can do to help prevent her unborn child from becoming infected.
 - a. true
 - b. false

5. You can tell by looking if a sex partner is infected with HIV.
 - a. true
 - b. false

How strongly to you agree or disagree with the following statements? **[CARD #10]**

TCU TIC continued...	Strongly Disagree	Disagree	Undecided (Not Sure)	Agree	Strongly Agree
6. HIV is not anything I have to worry about.	1	2	3	4	5
7. It is easy for me to talk with a sex partner about condoms.	1	2	3	4	5
8. I know how to stand up for myself when someone tries to pressure me to take a risk.	1	2	3	4	5
9. If I'm really turned on by a partner, I'll	1	2	3	4	5

--	--	--	--	--

risk not using a condom.					
10. It would be wrong to insist on using a condom with your husband.	1	2	3	4	5
11. Sex is not as risky as sharing needles when it comes to HIV.	1	2	3	4	5
12. If you are destined to get HIV, there is nothing you can do about it.	1	2	3	4	5
13. You believe that you could become exposed to HIV.	1	2	3	4	5
14. You think you could get HIV.	1	2	3	4	5
15. You want to make some changes now that will reduce your HIV risk.	1	2	3	4	5
16. You need help in dealing with your drug use.	1	2	3	4	5
17. You need help to change some of your sex activities.	1	2	3	4	5
18. You get tired of the problems caused by drugs.	1	2	3	4	5
19. You are going to change your drug use activities to avoid HIV.	1	2	3	4	5
20. You are going to change your sex activities to avoid HIV.	1	2	3	4	5
21. You already know what you must do to reduce your HIV risks.	1	2	3	4	5
22. You feel sure of yourself in controlling your risky drug use activities.	1	2	3	4	5
23. You feel sure of yourself in controlling your risky sex activities.	1	2	3	4	5

PART E: RISKY SEX AND SAFE SEX PRACTICES

In this next set of questions, I will ask questions about sex for money and drugs and sexually transmitted infections. A few questions are highly personal, but it is very important that you be open and honest in your answers. Remember that what you tell me is completely confidential.

RBA (Section G) Sex for Money/Drugs

1.a. In the last 30 days since your release have you given sex (tricked) to get drugs?

(0 = no, 1 = yes)..... |__|

***IF "0", SKIP TO Q. 2**

1.b. How many times in the last **30 days**

did you give sex to get drugs?..... |__||__||__|

1.c. In the last **30 days** when you gave sex to get drugs, which drugs did you get? Circle all that are mentioned.

	<u>Mentioned</u>	<u>Not Mentioned</u>
A. Alcohol?	0	1

B. Marijuana?		0	1
C. Crack? (Weed, grass, reefer)	0	1	
D. Cocaine by itself (other than crack)?	0	1	
E. Heroin (by itself)?		0	1
F. Heroin and cocaine mixed together (e.g., speedball)	0	1	
G. Nonprescription Methadone?	0	1	
H. Other opiates (e.g., Demerol, Codeine, Dilaudid)?	0	1	
I. Amphetamines? (e.g., speed, uppers, bennies)	0	1	
J. Some other drug?		0	1
(Specify _____)			

2.a. In the last 30 days since your release have you given someone drugs to have sex with you?

(0 = no, 1 = yes)..... |__|

***IF "0", SKIP TO Q. 3**

2.b. How many times in the last **30 days** did you give someone drugs to have sex with you?.....

|__||__||__|

2.c. In the last **30 days** what kind of drugs did you give to get sex?

Circle all that are mentioned.

	<u>Mentioned</u>	<u>Not Mentioned</u>
A. Alcohol?	0	1
B. Marijuana?	0	1
C. Crack? (Weed, grass, reefer)	0	1
D. Cocaine by itself (other than crack)?	0	1
E. Heroin (by itself)?	0	1
F. Heroin and cocaine mixed together (e.g., speedball)	0	1
G. Nonprescription Methadone?	0	1
H. Other opiates (e.g., Demerol, Codeine, Dilaudid)?	0	1
I. Amphetamines? (e.g., speed, uppers, bennies)	0	1
J. Some other drug?	0	1
(Specify _____)		

3.a. In the last 30 days since your release have you given sex to get money?

(0 = no, 1 = yes)..... |__|

***IF "0", SKIP TO Q. 4**

3.b. How many times in the **last 30 days** did you give sex to get money?.....

|__||__||__|

4.a. In the last 30 days since your release have you given money to someone to have sex with you?

(0 = no, 1 = yes)..... |__|

***IF "0", SKIP TO Q. 5**

4.b. How many times in the **last 30 days** did you give someone money to have sex with you?...

|__||__||__|

CONDOM SELF-EFFICACY SCALE

These next questions ask about your feelings about using condoms, including both male and female condom use. Please respond even if you are not sexually active or have not had a partner who used condoms. In such cases, indicate **how you think you would feel** in such a situation. The possible responses to these questions are **[CARD #10]**

1= Strongly Disagree**4=Agree****2=Disagree****5=Strongly Agree****3=Undecided (Not Sure)**

- ___ 1. I feel confident in my ability to put a condom on my partner.
- ___ 2. I feel confident I could purchase condoms without feeling embarrassed.
- ___ 3. I feel confident I could remember to carry a condom with me should I need one.
- ___ 4. I feel confident in my ability to discuss using condoms with any partner I might have.
- ___ 5. I feel confident in my ability to suggest using condoms with a new partner.
- ___ 6. I feel confident I could suggest using a condom without my partner feeling "diseased."
- ___ 7. I feel confident in my partner's ability to maintain an erection while using a condom.
- ___ 8. I would feel embarrassed to put a condom on myself or my partner.
- ___ 9. If I were to suggest using a condom to a partner, I would feel afraid that he or she would reject me.
- ___ 10. If I were unsure of my partner's feelings about using condoms, I would not suggest using one.
- ___ 11. I feel confident in my ability to use a condom correctly.
- ___ 12. I would feel comfortable discussing condom use with a sexual partner before we ever had any sexual contact (e.g., hugging, kissing, caressing, etc).
- ___ 13. I feel confident in my ability to persuade a partner to accept using a condom when we have intercourse.
- ___ 14. I feel confident that I could gracefully remove and dispose of a condom when we have intercourse.
- ___ 15. If my partner and I were to try to use a condom and did not succeed, I would feel embarrassed to try to use one again (example: not being able to unroll male condom, putting it on backwards, not being able to insert female condom).
- ___ 16. I would not feel confident suggesting using condoms with a new partner because I would be afraid my partner would think I have had a homosexual experience.
- ___ 17. I would not feel confident suggesting using condoms with a new partner because I would be afraid my partner would think I had a sexually transmitted disease.

- ___ 18. I would not feel confident suggesting using condoms with a new partner because I would be afraid my partner would think I thought he/she had a sexually transmitted disease.
- ___ 19. I would feel comfortable discussing condom use with a potential partner before we ever engaged in intercourse.
- ___ 20. I feel confident in my ability to incorporate putting a condom on my partner into foreplay.
- ___ 21. I feel confident that I could use a condom with a partner without “breaking the mood.”
- ___ 22. I feel confident in my ability to put a condom on my partner quickly.
- ___ 23. I feel confident I could use a condom during intercourse without reducing any sexual sensations.
- ___ 24. I feel confident that I would remember to use a condom even after I had been drinking.
- ___ 25. I feel confident that I would remember to use a condom even if I were high.
- ___ 26. If my partner did not want to use a condom during intercourse, I could easily convince him or her that it was necessary to do so.
- ___ 27. I feel confident that I could use a condom successfully.
- ___ 28. I feel confident I could stop foreplay to put a condom on myself or my partner even in the heat of passion.

AIDS DISCUSSION STRATEGY SCALE

INSTRUCTIONS: Suppose you wanted to talk to a potential or current sexual partner about AIDS. The following statements concern the types of things you might do if you wanted to discuss the topic of AIDS (Acquired Immune Deficiency Syndrome) with a sexual partner (either a current sexual partner or a future sexual partner). More specifically, we are interested in whether you would use each of the behaviors listed below. To provide your responses, use the following scale: **[CARD #11]**

1. Definitely would not do this.
2. Might not do this
3. Not sure whether I would do this.
4. Might do this
5. Would definitely do this.

Behaviors	Scale				
1. I would drop hints about wanting to discuss the topic of AIDS.	1	2	3	4	5
2. I would simply tell my partner that I wanted to discuss AIDS with him/her.	1	2	3	4	5
3. I would continually attempt to discuss the issue of AIDS.	1	2	3	4	5
4. I would explain the reason that it's important for us to discuss AIDS.	1	2	3	4	5
5. I would subtly bring up the topic of AIDS.	1	2	3	4	5

6. I would make suggestions that we discuss AIDS.	1	2	3	4	5
7. I would use deception to get my partner to talk about AIDS.	1	2	3	4	5
8. I would tell my partner it's in his/her best interest to discuss the issue of AIDS.	1	2	3	4	5
9. I would give my partner a big hug to put her/him in a good mood to discuss AIDS.	1	2	3	4	5
10. I would tell my partner that we couldn't have sex until we discussed AIDS.	1	2	3	4	5
11. I would try to manipulate my partner into a discussion on AIDS.	1	2	3	4	5
12. I would keep bugging my partner to discuss the topic of AIDS.	1	2	3	4	5
13. I would promise sexual rewards if we first discussed AIDS.	1	2	3	4	5
14. I would repeatedly remind my partner that I want to discuss AIDS.	1	2	3	4	5
15. I would keep trying to discuss AIDS issues with my partner.	1	2	3	4	5
16. I would insist that my partner and I discuss AIDS.	1	2	3	4	5
17. I would drop subtle hints that I want to talk about AIDS.	1	2	3	4	5
18. I would refrain from sexual contact until we discussed AIDS.	1	2	3	4	5
19. I would withhold affection and act cold until s/he discuss the topic of AIDS with me.	1	2	3	4	5
20. I would get angry and demand that s/he talk about AIDS with me.	1	2	3	4	5
21. I would appeal to my partner's love/affection for me as a basis for our discussing AIDS.	1	2	3	4	5
22. I would refuse to interact further with my partner unless we first discussed AIDS.	1	2	3	4	5
23. I would act nice so that my partner could not refuse to discuss AIDS with me.	1	2	3	4	5
24. I would be especially sweet, charming, and pleasant before bringing up the subject of AIDS.	1	2	3	4	5
25. I would tell my partner we are close enough to discuss AIDS.	1	2	3	4	5
26. I would tell my partner I have a lot of knowledge about the topic of AIDS.	1	2	3	4	5

RELATIONSHIP POWER: [CARD #13]

Relationship Control Scale:

- 1 = Strongly agree
- 2 = Agree
- 3 = Disagree
- 4 = Strongly disagree

1. If I asked my partner to use a condom, he would get violent.	1	2	3	4
---	---	---	---	---



2. If I asked my partner to use a condom, he would get angry.	1	2	3	4
3. Most of the time, we do what my partner wants to do.	1	2	3	4
4. My partner won't let me wear certain things.	1	2	3	4
5. When my partner and I are together, I'm pretty quiet.	1	2	3	4
6. My partner has more say than I do about important decisions that affect us.	1	2	3	4
7. My partner tells me who I can spend time with.	1	2	3	4
8. If I asked my partner to use a condom, he would think I'm having sex with other people.	1	2	3	4
9. I feel trapped or stuck in our relationship.	1	2	3	4
10. My partner does what he wants, even if I do not want him to.	1	2	3	4
11. I am more committed to our relationship than my partner is.	1	2	3	4
12. When my partner and I disagree, he gets his way most of the time.	1	2	3	4
13. My partner gets more out of our relationship than I do.	1	2	3	4
14. My partner always wants to know where I am.	1	2	3	4
15. My partner might be having sex with someone else.	1	2	3	4

Decision-Making Dominance Scale: [CARD #14]

- 1 = Your partner
- 2 = Both of you equally
- 3 = You

16. Who usually has more say about whose friends to go out with?	1	2	3
17. Who usually has more say about whether you have sex?	1	2	3
18. Who usually has more say about what you do together?	1	2	3
19. Who usually has more say about how often you see one another?	1	2	3
20. Who usually has more say about when you talk about serious things?	1	2	3
21. In general, who do you think has more power in your relationship?	1	2	3
22. Who usually has more say about whether you use condoms?	1	2	3
23. Who usually has more say about what types of sexual acts you do?	1	2	3

INSTRUCTIONS: Next, I would like to get some information about your attitudes and behaviors in relationships. Some of the questions will be about your relationships in the 30 days after your release and some questions will be about the next 2 months. Even if you don't think that you will have a relationship in the next 2 months, please make a guess about what you would do if you were in a relationship. To provide your responses, use the following scale where 1=never and 10=everyday:

ITEMS	SCALE
1a. In the 30 days after your release, how often did you think that having unprotected sex would strengthen your relationship?	1 2 3 4 5 6 7 8 9 10
1b. In the 30 days after your release, how often did you have unprotected sex to strengthen your relationship?	1 2 3 4 5 6 7 8 9 10
1c. In the next 2 months, how often will you have unprotected sex to strengthen your relationship?	1 2 3 4 5 6 7 8 9 10
2a. In the 30 days after your release, how often did you only feel good about yourself when you were in a relationship, even if it was a risky relationship?	1 2 3 4 5 6 7 8 9 10
2b. In the 30 days after your release, how often did you have unprotected sex in order to feel good about yourself when you were in a relationship, even if it	1 2 3 4 5 6 7 8 9 10



was a risky relationship?										
2c. In the next 2 months, how often will you have unprotected sex in order to feel good about yourself when you were in a relationship, even if it is a risky relationship?	1	2	3	4	5	6	7	8	9	10
3a. In the 30 days after your release, how often did you feel that you made healthy choices about using protection during sex when using drugs?	1	2	3	4	5	6	7	8	9	10
3b. In the 30 days after your release, how often did you have unprotected sex when using drugs?	1	2	3	4	5	6	7	8	9	10
3c. In the next 2 months, how often will you have unprotected sex when using drugs?	1	2	3	4	5	6	7	8	9	10
4a. In the 30 days after your release, how often did you feel that your partner was safe by the way your partner looked, talked, and/or acted?	1	2	3	4	5	6	7	8	9	10
4b. In the 30 days after your release, how often did you have unprotected sex because you felt your partner was safe by the way your partner looked, talked, and/or acted?	1	2	3	4	5	6	7	8	9	10
4c. In the next 2 months, how often will you have unprotected sex because you feel your partner is safe by the way your partner looks, talks, and/or acts?	1	2	3	4	5	6	7	8	9	10
5a. In the 30 days after your release, how often did you feel that you would not get HIV because you are not really at risk?	1	2	3	4	5	6	7	8	9	10
5b. In the 30 days after your release, how often did you have unprotected sex because you felt that you were not really at risk for HIV?	1	2	3	4	5	6	7	8	9	10
5c. In the next 2 months, how often will you have unprotected sex because you feel that you are not really at risk for HIV?	1	2	3	4	5	6	7	8	9	10
6a. In the 30 days after your release, how often did you feel that you didn't need to practice safe sex because you've been with your partner for a long time?	1	2	3	4	5	6	7	8	9	10
6b. In the 30 days after your release, how often did you have unprotected sex because you've been with your partner for a long time?	1	2	3	4	5	6	7	8	9	10
6c. In the next 2 months, how often will you have unprotected sex because you've been with your partner for a long time?	1	2	3	4	5	6	7	8	9	10
7a. In the 30 days after your release, how often did you feel that you had to use sex as a way to get what you wanted in a relationship?	1	2	3	4	5	6	7	8	9	10
7b. In the 30 days after your release, how often did you have unprotected sex as a way to get what you wanted in a relationship?	1	2	3	4	5	6	7	8	9	10
7c. In the next 2 months, how often will you have unprotected sex as a way to get what you want in a relationship?	1	2	3	4	5	6	7	8	9	10

RRR-HIV Knowledge about Relationships and HIV Scale

INSTRUCTIONS: I am going to read some statements. Please tell me to what extent do you believe the statement is true. If you don't know the response, try to make a guess based on your instinct. The possible responses to these questions are **[CARD #15]**

- 1= Definitely False
- 2=Maybe False
- 3=Undecided (Not Sure)
- 4=Maybe True
- 5=Definitely True

ITEMS	SCALE				
1. There is a cure for HIV.	1	2	3	4	5
2. There is no vaccination for Hepatitis B.	1	2	3	4	5



3. If a woman injects drugs, she can get HIV through sharing cookers, cotton, and rinse water.	1	2	3	4	5
4. Crack and cocaine use can increase my risk for HIV, Hepatitis B, and Hepatitis C.	1	2	3	4	5
5. A female and a male condom should never be used at the same time.	1	2	3	4	5
6. Women can use drugs and still make healthy choices.	1	2	3	4	5
7. An unhealthy relationship can increase a woman's risk of HIV.	1	2	3	4	5
8. Women sometimes use drugs in an unhealthy relationship to keep the relationship going.	1	2	3	4	5
9. A woman can stop the effects of drugs and alcohol on her body if she tries hard enough.	1	2	3	4	5
10. Having sex without protection will strengthen a relationship.	1	2	3	4	5
11. Women should only think good things about themselves when they are in a relationship, even if it is a risky relationship.	1	2	3	4	5
12. The most dangerous time for an abused woman is when she attempts to leave the abusive relationship	1	2	3	4	5
13. When an abuser says everything is "ok" the victim should feel good about the relationship.	1	2	3	4	5
14. A women can tell her sex partner is safe by the way he/she looks, talks, and/or acts.	1	2	3	4	5
15. If a woman has been with her sex partner for a long time, she doesn't need to practice safe sex.	1	2	3	4	5
16. Women won't get HIV because we really aren't at risk.	1	2	3	4	5
17. A woman can't get HIV just from having unprotected sex one time.	1	2	3	4	5
18. Knowing about relationship triggers can help a woman avoid situations where she might have unprotected sex.	1	2	3	4	5
19. Women have to use sex as a way to get what they want in a risky relationship	1	2	3	4	5
20. It is safer for a woman to have several support people in her life so she does not have to rely on a sex partner to meet her needs.	1	2	3	4	5
21. Women can feel very desperate when they leave prison and can end up being mistreated if they don't make plans before they leave prison.	1	2	3	4	5

INTERVIEWER INSTRUCTIONS: Give this sheet to the participant and read the statement aloud. Ask the participant to circle the number that indicates how much she believes the statement is true.

1. Having sex without protection will strengthen my relationship.

1-----2-----3-----4-----5-----6-----7-----8-----9-----10
 Definitely True Definitely NOT True

2. Using drugs with my partner will strengthen my relationship.

--	--	--	--	--

1-----2-----3-----4-----5-----6-----7-----8-----9-----10
Definitely True Definitely NOT True

3. I only think good things about myself when I am in a relationship, even if it is a risky relationship.

1-----2-----3-----4-----5-----6-----7-----8-----9-----10
Definitely True Definitely NOT True

4. I think good things about myself even when I'm not in a risky relationship.

1-----2-----3-----4-----5-----6-----7-----8-----9-----10
Definitely True Definitely NOT True

5. I can use drugs and always make healthy choices about protection.

1-----2-----3-----4-----5-----6-----7-----8-----9-----10
Definitely True Definitely NOT True

6. I don't make health choices about HIV protection when I use drugs.

1-----2-----3-----4-----5-----6-----7-----8-----9-----10
Definitely True Definitely NOT True

7. I know my partner is safe from HIV by the way my partner looks.

1-----2-----3-----4-----5-----6-----7-----8-----9-----10
Definitely True Definitely NOT True

8. I know my partner is safe from HIV by the way my partner talks.

1-----2-----3-----4-----5-----6-----7-----8-----9-----10
Definitely True Definitely NOT True

9. I know my partner is safe from HIV by the way my partner acts.

1-----2-----3-----4-----5-----6-----7-----8-----9-----10
Definitely True Definitely NOT True

--	--	--	--	--

10. I know my partner is safe by the way my partner looks, talks, and/or acts.

1-----2-----3-----4-----5-----6-----7-----8-----9-----10
 Definitely True Definitely NOT True

11. I will not get HIV because I'm not really at risk.

1-----2-----3-----4-----5-----6-----7-----8-----9-----10
 Definitely True Definitely NOT True

12. I will get HIV because I am at risk.

1-----2-----3-----4-----5-----6-----7-----8-----9-----10
 Definitely True Definitely NOT True

SELF-EFFICACY: This next set of questions asks about how comfortable you are in your abilities to do certain things. How sure are you that you would be able to: [CARD #12]

- Use Response options are:**
- 1 = Not at all sure
 - 2 = A little sure
 - 3 = Somewhat sure
 - 4 = Pretty sure
 - 5 = Very sure

ITEMS	SCALE				
1. Get the money needed to buy condoms?	1	2	3	4	5
2. Have a sexual relationship with only one person for a long period of time?	1	2	3	4	5
3. Ask your boyfriend/girlfriend if he/she has ever injected drugs such as heroin or cocaine into his/her veins?	1	2	3	4	5
4. Discuss preventing AIDS with your boyfriend/girlfriend?	1	2	3	4	5
5. Insist on using a condom during sex even if your boyfriend/girlfriend will not use a condom?	1	2	3	4	5
6. Use a condom correctly?	1	2	3	4	5
7. Ask your boyfriend/girlfriend about sexual relationships that he/she has had in the past?	1	2	3	4	5
8. (Say no to sex) with someone you have known for a few days or less?	1	2	3	4	5
9. (Say no to sex) with someone whose sex and drug use history is not known to you?	1	2	3	4	5
10. Use a condom every time that you had sexual intercourse?	1	2	3	4	5
11. Refuse to have sex if your boyfriend/girlfriend will not use a condom?	1	2	3	4	5
12. (Say no to sex) with someone who is pushing you to have sexual intercourse?	1	2	3	4	5
13. Walk into a store and buy condoms?	1	2	3	4	5



14. Ask your boyfriend/girlfriend if he/she has ever had a homosexual experience?	1	2	3	4	5
15. Use a condom during sex after you have been drinking?	1	2	3	4	5
16. (Say no to sex) with someone after you have been smoking marijuana?	1	2	3	4	5
17. Use a condom during sex after you have been using marijuana?	1	2	3	4	5
18. (Say no to sex) with someone you want to date again?	1	2	3	4	5
19. (Say no to sex) with someone after you have been drinking alcohol?	1	2	3	4	5
20. (Say no to sex) with someone who you want to fall in love with you?	1	2	3	4	5
21. (Say no to sex) with someone you have dated for a long time?	1	2	3	4	5
22. (Say no to sex) with someone with whom you have already had sexual intercourse?	1	2	3	4	5

ROSENBERG SELF-ESTEEM SCALE

INSTRUCTIONS: Next, I will read a list of statements regarding general feelings about yourself. Please tell me how much you agree or disagree with each statement using **[CARD #18]**

	Strongly agree	Agree	Disagree	Strongly disagree
1. On the whole, I am satisfied with myself.	4	3	2	1
2. * At times I think I am no good at all.	4	3	2	1
3. I feel that I have a number of good qualities.	4	3	2	1
4. I am able to do things as well as most other people.	4	3	2	1
5. * I feel I do not have much to be proud of.	4	3	2	1
6. * I certainly feel useless at times.	4	3	2	1
7. I feel that I'm a person of worth, at least on an equal plane with others.	4	3	2	1
8. * I wish I could have more respect for myself.	4	3	2	1
9. * All in all, I am inclined to feel that I am a failure.	4	3	2	1
10. I take a positive attitude toward myself.	4	3	2	1
Note: Items with an asterisk are reverse scored.				